

VORONITSYN, K.I., kand. tekhn. nauk, red.; TIZENGAUZEN, P.E., kand. tekhn. nauk, red.; NADBAKH, M.P., red.; TANTSEV, A.A., starshiy nauchnyy sotr., red.; ABRAMOV, S.A., kand. tekhn. nauk, red.; ABRA'OV, D.A., red.; BOGDANOV, N.I., starshiy nauchnyy sotr., red.; VINOGR'OV, G.K., kand. tekhn. nauk, red.; GAVRILOV, I.I., starshiy nauchnyy sotr., red.; GUSARCHUK, D.M., starshiy nauchnyy sotr., red.; D'YAKONOV, A.I., red.; ZAV'YALOV, M.A., kand. tekhn. nauk, red.; ZARETSKIY, M.S., starshiy nauchnyy sotr., red.; KACHELKIN, L.I., starshiy nauchnyy sotr., red.; KISHINSKIY, M.I., kand. tekhn. nauk, red.; KOLTUNOV, B.Ya., starshiy nauchnyy sotr., red.; OSIPOV, A.I., kand. tekhn. nauk, red.; SHINEV, I.S., kand. ekon. nauk, red.

[Materials of the enlarged session of the Scientific Council of the Central Scientific Research Institute for Mechanization and Power Engineering in Lumbering on problems concerning power engineering and the electrification of the lumber industry]
Materialy rasshirennoi sessii Uchenogo soveta TsNIIIME po voprosu energetiki i elektrifikatsii lesnoi promyshlennosti. Moskva, 1961. 75 p. (MIRA 15:4)

(Continued on next card)

VORONITSYN, K.I.---(continued) Card 2.

1. Khimki. Tsentral'nyy nauchno-issledovatel'skiy institut mekhanizatsii i energetiki lesnoy promyshlennosti. 2. Nachal'nik Tsentral'nogo byuro tekhnicheskoy informatsii lesnoy promyshlennosti (for Nadbakh). 3. Direktor Tsentral'nogo nauchno-issledovatel'skogo instituta mekhanizatsii i energetiki lesnoy promyshlennosti (for Voronitsyn). 4. Uchenyy sovet Tsentral'nogo nauchno-issledovatel'skogo instituta mekhanizatsii i energetiki lesnoy promyshlennosti (for D'yakonov). 5. Nachal'nik otdeleniya energetiki i sredstv avtomatizatsii Tsentral'nogo nauchno-issledovatel'skogo instituta mekhanizatsii i energetiki lesnoy promyshlennosti (for Zaretskiy).
(Lumbering) (Electric power)

1.11K

*Failure, Mechanisms of
Solid State*

704. Tishness, N. V. On the question of the mechanism of fatigue failure of steel (in Russian), *Zh. tekhn. fiz.* 21, 2, 187-193, Feb. 1951.

Effects of fatigue on "Steel 20" with 31,000 psi endurance limit were made by counting the decreasing number of spots in x-ray patterns. As Barrett also reported ["Structure of metals," p. 679], spots become more diffuse with increasing numbers of cycles and with higher stresses, but no particular change occurs when the endurance limit is crossed. E. A. McCulloch, USA

100.10, 100.10, 100.10, 100.10

Opsta i praktična kartografija; udzbenik. Beograd, Izd. Glavne geodetske uprave pri vladi FNR, 1949. 184 p. (General and practical cartography. Illus., maps, diagrs., tables)

SO: East European Accessions List, Vol 3, No 8, Aug 1954

BC

A.

Ignition of the electric discharge in gas.
G. A. TJAQUNOV (Bull. Acad. Sci. U.R.S.S., 1938, Sér.
Phys., 453-458).—Theoretical. L. J. J.

A 50-324 METALLURGICAL LITERATURE CLASSIFICATION

Country : USSR
Category : Soil Science. General. J
Abs Jour : RZhBiol., No 6, 1959, No 24569
Author :
Inst :
Title :
Orig Pub :
Abstract : improve the physical properties of the soil.
Content of the biologically active organic
substance in the soil is visibly increased.
-- A. M. Smirnov

Card : 2/2

DUDKO, D.A.; RUBLEVSKI, I.I. [Rublevskiy, I.I.]; TJAGIN-BELAUS, G.S.
[Tyagin-Belaus, G.S.]; ALEKSIJEVIC, Aleksandar, inz., asistent.
[translator] (Zagreb)

Influence of the conditions of the process of electric welding
under slag on the size of metallic bath in the melting of big
sections with electrodes. Zavarivanje 4 no.5/6:113-116 My-Je '61.

1. Institut za elektricno zavarivanje E.O.Patona, A.N. SSSR (for
Dudko, Rublevski and Tiagin-Belaus). 2. Visoka tehnicka skola u
Zagrebu, Zagreb (for Aleksijevic).

Country : CZECHOSLOVAKIA
 Category : Soil Science. General. J
 Abs Jour : RZhBiol., No 6, 1959, No 24572
 Author : Tiaglo, G.
 Inst : Czechoslovakian Academy of Agricultural Science.
 Title : A New Method for the Obtaining of Soil Monoliths.
 Orig Pub : Sbor Ceskosl. akad. zemed. ved, Rada-Rostl. vyroba, 1956, 29, No 3, 203-212
 Abstract : A device is described, by means of which a thin layer of soil is cut off under laboratory conditions from a soil monolith (measuring 25 x 25 x 105 cm). In a special frame the soil specimen is treated at average humidity with colorless nitrocellulose lacquer. The latter solidifies the soil, preserving the natural color of the soil horizons. The
 Card : 1/2

Country : CZECHOSLOVAKIA
Category : Soil Science. General. J
Abs Jour : RZhBiol., No 6, 1959, No 24572
Author :
Inst :
Title :
Orig Oub :
Abstract : soil monolith, obtained in this manner, is
kept under glass for a long time.

Card : 2/2

TJAPKIN, D.

A few words about pH meters. p. 17. Vol. 5, No. 1,
Jan. 1956. TELEKOMUNIKACIJE. Beograd, Yugoslavia.

SOURCE: East European Accessions List, (EEAL) Library
of Congress, Vol. 5, No. 8, August, 1956.

YUGOSLAVIA/Electricity - Semiconductors.

G-3

Abn Jour : Ref Zhur - Fizika, No 11, 1958, No 25500

Author : Tjapkin Dimitrije

Inst : Belgrade University, Yugoslavia

Title : Semiconductors in Nuclear Physics and Engineering

Orig Pub : Tehnika, 1958, 13, No 1, Elektrotehnika, 7, No 1, 12-16

Abstract : Examination of the problem of the investigation of radiation defects in semiconductors and of the use of the latter as dosimeters and radiation-energy converters.

Card : 1/1

YUGOSLAVIA/Electronics - Photocells and Semiconductors Device.

H

Abs Jour : Ref Zbir Fizika, No 11, 1959, 25562

Author : Tjapkin, Dinitrije

Inst : ~~Electronics Research Institute~~

Title : Production of Semiconductor Elements, Status and Prospects -- General Conclusions.

Orig Pub : Tehnica, 1958, 13, No 10, 236-239

Abstract : Data are given with respect to the volume of manufacture of semiconductor devices (diodes and triodes) and the trends in their development on a global scale. The status of manufacture of these devices in Yugoslavia is considered, and it is noted that the requirements of the industry during the five year period from 1959 to 1963 exceeds the capacity for the manufacture of semiconductor devices, primarily because of lack of sufficiently numbers of specialists. This leads to the conclusion that it is necessary to speed up the training of corresponding

Card 1/2

- 88 -

YUGOSLAVIA/Electronics - Photocells and Semiconductors Device. H

Abs Jour : Ref Zhur Fizika, No 11, 1959, 25562

engineering and working staffs, particularly by introducing the necessary courses into the programs of the institutions of learning.

Card 2/2

COUNTRY : Yugoslavia E-2
CATEGORY :
ABS. JOUR. : RZKhim., No. 22 1959, No. 77605
AUTHOR : Tjapkin, D. and Joksimovic-Tjapkin, S.
INST. : Not given
TITLE : Determination of the Purity of Powdered Silicon
by Measuring the Electric Conductivity of the
Electrolyte [sic]
ORIG. PUB. : Tehnika, 13, No 10 (1958); Elektrotehnika, 7,
No 10, 166-169 (1958)
ABSTRACT : No abstract.

CARD: 1/1

TJAPKIN, D.

YUGOSLAVIA/Electricity - Semiconductors.

Abs Jour : Ref Zhur Fizika, No 8, 1959, 18189

Author : Tjapkin, Dimitrije; Skaperda, Nikola

Inst : University of Belgrade, Yugoslavia

Title : Arrangement for the Measurement of the Specific Electric Resistivity, Hall Coefficient, and Type of Carriers in Semiconductors.

Orig Pub : Tehnika, 1958, 13, No 10, Elektrotehnika, 7, No 10, 155-159

Abstract : Arrangement is described with eight probes for the measurement of the specific resistivity ρ , the Hall coefficient B and determining the type of current carriers in semiconductors. The instrument insures high accuracy of the inter-probe distance and ease in adjustment of the pressure of the probes against the sample.

Card 1/2

YUGOSLAVIA/Electricity - Semiconductors.

G

Abs Jour : Ref Zhur Fizika, No 8, 1959, 18189

The probes can be readily replaced as they are worn out. The value of ξ is measured with four probes at direct current. The arrangement makes it possible to measure ξ within 0.06 -- 0.0006 ohm-cm. The value of B is measured in a constant magnetic field with either four or two probes. The installation is reliable and can be used for the measurement of germanium and silicon specimens of various shapes. The results of the measurements with the aid of the arrangement described here agree with those obtained by others.

Card 2/2

- 83 -

TJAPKIN, D.

TJAPKIN, D.; Stefanija, P. Current noises of carbon resistors. p. 10

Vol. 5, no. 3, Aug, 1956
TELEKOMUNIKACIJE
TECHNOLOGY
Beograd

So: East European Accession, Vol. 6, no. 3, March 1957

YUGOSLAVIA/Nuclear Physics - Installations and Instruments.
Methods of Measurement and Research

C

Abs Jour : Ref Zhur Fizika, No 2, 1960, 2825

Author : Tjapkin, D.A., Ilic, R.P.

Inst : Institute of Nuclear Sciences, "Boris Kidrich", Belgrade,
Yugoslavia

Title : The Beam Current Integrator Without Discharging Cycle

Orig Pub : Bull. Inst. Nud. Sci., 1958, 8, No 144, 117-122

Abstract : The authors describe a current integrator with measurement limits of 5×10^{-4} -- 3×10^{-12} amperes, intended for the measurement of intensity of a beam of charged particles. The measured current is applied to an electrometer amplifier (gain $\sim 5,000$), to the output of which is connected an integrating capacitor C. When the voltage in the capacitor reaches $+u_0$, a discriminator

Card 1/2

YUGOSLAVIA/Nuclear Physics. - Installations and Instruments.
Methods of Measurement and Research

C

Abs Jour : Ref Zhur Fizika, No 2, 1960, 2825

operates, and the pulse from it is applied to the winding of the electromagnetic relay. The relay reverses the polarity of the capacitor C, so that the next cycle consists of recharging the capacitor from $-u_0$ to $+u_0$. The mechanical counter registers the number of pulses from the discriminator. The nonlinearity of the characteristics of the integrator is $\leq 1\%$. The maximum counting rate amounts to one count/sec. The instrument admits of a direct reading of the measured current along a scale of a pointer-type instrument. A total principal diagram and a photograph of the wiring of the integrator are shown.

Card 2/2

- 15 -

G

YUGOSLAVIA/Electricity - Semiconductors.

Abs Jour : Ref Zhur Fizika, No 2, 1960, 3779

Author : Skaperda, Nikola; Tjapkin, Dinitrije

Inst : The University, Belgrade, Yugoslavia

Title : A Pulse Method for Measuring the Lifetime of Minority Carriers in Germanium

Orig Pub : Tehnika, 1958, 13, No 10, Elektrotehnika, 7, No 10, 161-164

Abstract : A definition is given of the lifetime of minority carriers τ , and the principal factors on which it depends are indicated. Five methods are briefly described for the measurement of τ in germanium. Preference is given to the optical method.

Card 1/1

BC

v)

Application of physical-chemical analysis to the investigation of peptization. V.M. Peptization of wheat-flour proteins. I.A. Strumsky and T.E. Tolstoyeva (*Sov. Chem. (Engl. transl.)*, 1968, 4, 561-567).—The peptizing action on wheat proteins of NaOH, KOH, and AcOH, alone or in pairs, has been studied by the methods previously described (A., 1968, 510). The presence of > 1 protein is indicated, and methods for their separation are suggested.

R.V.T.

A50.5LA METALLURGICAL LITERATURE CLASSIFICATION

MATERIALS INDEX										SUBJECT INDEX															
1ST AND 2ND EDITIONS										3RD AND 4TH EDITIONS															
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z

Bc

B-I-2

Resinous deposits from illuminating gas. B. T.
TJAMES (Chem. Weekblad, 1936, 32, 531-536).—A
review. D. R. D.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

28

The weight of greens and the formation of sugar. K. TH. BOKS. Lusty Cukrowar. 51, 328; Z. Zuckerind. technol. Rep. 57, 210 (1941). In a comparison of averages for several years, the formation of sugar is greater in the years with an abundant growth of greens than in the years of scanty greens. The exptl data, however, have never shown a real correlation between the wt of greens and sugar formation. When different varieties of the same season are compared, no correlation is found. Weekly analyses made upon 16 varieties of beets in Sweden from July to Nov. show the absence of this correlation. From July 25 to Nov. 11 the av. wt of greens from one variety was 250 g while the sugar formation during the same interval was 90 g. Other varieties showed 276 g greens with 101 g sugar, 313 g greens with 81 g sugar, and 315 g greens with 79 g sugar.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND CROPS										3RD AND 4TH CROPS									
PROCESSES AND PROPERTIES INDEX																			
BC		<p style="font-size: 2em; margin: 0;">B-3-2</p> <p>Weight of leaves and formation of sugar (in beets). K. TURNER (Z. Zuckerind. Czechoslov., 1933, 57, 216).—Experiments with 16 races of sugar beet over a no. of years, at the Swedish Sugar Beet Institute, Hillesdög, showed that in comparing the same race in different years there is a general parallelism between wt. of leaves and amount of sugar formed; but in comparing different races in the same year there is no relation between leaf growth and sugar formation. The effects of weather conditions on leaf growth are much the same for different races, but their effects on sugar formation are not so uniform. J. H. L.</p>																	
COMMON ELEMENTS		CROCK VARIABLE MOLE																	
OVER		MATERIAL MOLE																	
A.S.M.-S.L.A. METALLURGICAL LITERATURE CLASSIFICATION																			
FROM LITERATURE										FROM SOURCE									
SOURCES										SOURCES									
SOURCES										SOURCES									

Planting

S.C. L.

Harvesting 2-year-old roots of kok-saghis after preliminary removal of foliage. P. TUDKAVKIN (Sov. Sel'sk. Hoz., 1944, No. 8 0, 81-2; Hort. U.S. 1946, 16, 100). Experiments made by the Siberian Cereals Research Institute in 1943 showed that a preliminary removal of the rosette part to the digging up of roots increased their rubber content. The figures obtained on a two-year-old plantation were as follows. If the rosette was removed 4 hours before harvesting the roots, their rubber content rose only from 11.5 to 11.9%. When, however, the removal was made 21 and 120 hours before digging, the increase in the rubber content was from 9.2 to 11.2% and from 9.2 to 11.7% respectively. This method could be used with success on 2-year-old plantations on compact soil, and requires 4 man-days per hectare.

1228.5

1946

TIUKINA, M. N.

"The development of an accelerated method of the anodic oxydation of aluminium alloys in sulphuric acid." Akomov, G. V., Tomashov, N. D., and Tiukina, M. N. (p. 583)

SO: Journal of General Chemistry (Zhurnal Obshchei Khimii) 1942, Vol 12, No 11-12.

TJULPINA, A. F.
V. F. OPOTSKI, Ukrain. CHEM. J., 1933, 8, 237-241

1ST AND 2ND ORDERS		PROCESSES AND PROPERTIES INDEX		1ST AND 2ND ORDERS	
BE					
<p>Leslie content of Black Sea algae. A. S. KOMAROVSKI, A. F. TRULFINA, and G. B. FISCHER (Ukrain. Chem. J., 1965, 9, 181-184).—The I content per 100 g. of dry substance of Black Sea <i>Phyllophora</i> varied from 0.15 to 0.55 g.; other algae contained only traces of I. R. T.</p>					
ASH-ILA METALLURGICAL LITERATURE CLASSIFICATION					
1ST AND 2ND ORDERS		1ST AND 2ND ORDERS		1ST AND 2ND ORDERS	
1ST AND 2ND ORDERS		1ST AND 2ND ORDERS		1ST AND 2ND ORDERS	

CZECHOSLOVAKIA

MASIAR, P.; SOVA, O.; TJUTCEV, N.; Department of Biochemistry, Institute of Experimental Biology, Slovak Academy of Sciences (Oddelenie Biochemie Ustavu Experimentalnej Biologie SAV), Kosice, Head (Veduci) Docent Dr P. MASIAR; Chair of Biochemistry, Medical Faculty PJ Safarik University (Katedra Biochemie Lekarskej Fakulty UPJS), Head (Veduci) Dr P. MASIAR.

"Protein Metabolism. I. "

Prague, Casopis Lekarů Ceskych, Vol 105, No 33, 19 Aug 66, pp 886 - 889

Abstract [Authors' English summary modified]: During the first days of protein deficiency a systematic drop in albumins and a concurrent rise of globulin fractions occur. Quantitative changes are noticed mainly in the alpha and beta globulins, which are found in the first 20 days of protein deficiency; a new fraction corresponding to the alpha globulin appears. Gamma globulin fraction changes very little. Total nitrogen decreases to about 75% of the initial value. 3 Figures, 2 Tables, 10 Western, 4 Czech, 1 Russian, 1 Hungarian reference. (Ms. received Mar 66).
1/1

- 4 -

TJUTCEV, Nikita (Kosice, Stara bastova 2.)

Flush method of blood pressure measurement in children (flush method).
Cesk. pediat. 13 no.8:688-693 5 Sept 58.

1. II. detska klinika Karlovy university v Praze, prednosta prof. Dr.
J. Houstek.

(BLOOD PRESSURE, determ.
flush method in child. (Cz))

TJUTCEV, Nikita

Flush -- a new method for blood pressure measurement in children.
Normal levels. Cask.pediat.15 no.12:1066-1071 D '60.

1. Okresny ustav narodneho zdravia v Kosiciach, riad. dr. S.Benedik.
(BLOOD PRESSURE)

TJUTCEV, N.; PAPAR, I.

The metabolism of protein substances in muscle tissue; a study of ninhydrinpositive substances isolated from nonprotein extracts from the heart of normal rats. *Physiol. Bohemoslov.* 13 no.6:565-570 '64

1. Department of Biochemistry, Medical Faculty, Safarik University, Kosice.

MASIAR, Pavel; TJUTOMY, Nikita

Metabolism of protein substances in muscle tissue. II. Review of ninhydrin-positive substances in protein-free extracts from muscles of Macaca rhesus monkeys. Biologia (Bratisl.) 19 no.6:446-453 '64.

1. Katedra biochemie Lekarskej fakulty Univerzity P.J. Safarika v Kosiciach.

TJUTJUNNIKOV, J.B.; VOLKOV, J.M.; ORLIK, Miroslav

Prospects of coal chemical processing. Ropa a uhlie 5 no.7:
222 J1.'63.

1. Koksarensky vyzkum, Vyzkumny a zkusebni ustav, Nova hut
Klementa Gottwalda (for Orlik).

TKABLADZE, TS.P.

Relationship between the accumulation of tannins and some ecological and biological characteristics of plants; based on materials on the study of tannin plants of the Georgian S.S.R. Trudy Len. khim.-farm. inst. 12:285-296 '61. (MIRA 15:3)

1. Tbilisskiy nauchno-issledovatel'skiy khimiko-farmatsevticheskiy institut Ministerstva zdavookhraneniya Gruzinskoy SSR.

(TANNINS)
(GEORGIA--BOTANY, MEDICAL)

TKABLADZE, TS.P.; GEDEVANISHVILI, D.M., prof., red.; KANDELAKI, D.P.,
red. izd-va; KHUTSISHVILI, V.V., tekhn. red.

[Biological evaluation of tannins and the amount of them in some
tannin-bearing plants of Georgia] Biologicheskaya otsenka dubil'-
nykh veshchestv i ikh sodержanie v nekotorykh tanidonosnykh ra-
steniyakh Gruzii.
(MIRA 15:6)

1. Chlen-korrespondent Akademii nauk Gruzinskoy SSR (for Gede-
vanishvili).

(GEORGIA---BOTANY, MEDICAL) (TANNINS)

TKABLADZE, TS.P.

Comparative biological evaluation of astringents. Soob.AN
Gruz.SSR 23 no.2:199-206 Ag '59. (MIRA 13:2)

1. Tbilisskiy nauchno-issledovatel'skiy khimiko-farmatsevtiche-
skiy institut. Predstavleno chlenom-korrespondentom Akademii
D.M.Gedevanishvili.

(ASTRINGENTS)

USSR/Pharmacology. Toxicology. Cholinergic Drugs

v

Abs Jour : Ref Zhur - Biol., No II, 1958, No 51967

Author : Tkabladze Ts.P.

Inst : Tbilisi Chemopharmaceutical Institute

Title : The Pharmacological Properties of the Alkaloid of Vinca
Herbacea

Orig Pub : Sb. tr. Tbilissk n-i khim-farmatsevt. i-ta, 1956, kn.,
8, 91-100

Abstract : The pharmacological properties of the sulfate salt of the alkaloid of Vinca Herbacea (I) were investigated in frogs, rabbits, and dogs and compared to atropine. In lumbar (2) frogs subcutaneous injection or injection in the large cutaneous vein, I, in certain concentrations, fully removed the action of the vagus nerve upon the heart. Despite this, I slowed the heart rhythm, dilated the pupils, decreased secretion of saliva, caused by atropine. It follows that the specific properties of I are similar to those of atropine, but to a lesser degree. A hypotensive effect of I was also demonstrated. V.V. Berezhinskaya.

Card : 1/1

USSR/Pharmacology. Toxicology. Tranquillizers.

V

Abs Jour: Ref. Zhur. - Biol., No 22, 1958, 102852

Author : Tkabladze, Ts. P.

Inst : Tbilisi Scientific Research Chemicopharmaceutical
Institute

Title : The Influence of Tealbine on the Inflammatory
Process.

Orig Pub: Sb. tr. Tbilissk. n.-i. khim.-farmatsevt. in-ta,
1955, 7, 81-89

Abstract: Experiments on air drying mesentery of frogs
showed that the development of the inflammation
was actually delayed by application of tealbine
grains (I) on the surface of the mesentery. I
also induced a similar effect in those cases in
which the inflammation was induced on the mesen-
tery or swimming membrane of the frog by appli-

Card 1/2

Molecular compounds of carboxylic acids and their derivatives with monohydric alcohols. Alexander, Isaac. *Chem. Listy* 42, 169-71 (1948). According to the results of measurements on a rush-membrane osmometer, alic. form mol. compds. with carboxylic acids. The no. of moles of alic. assocd. with acids depends on the mol. wt. of the alic. and on the no. and kind of acidic functions (HO, Cl, Br, NH₂ group, etc.). M. Hudlicky

CA

12

Mesohydric tautomerism of urea. Blahoslav Stehlik
and Alexander Tkáč. *Chem. Zvesti* 3, 34-8 (1949). -
According to Hunter's conception of the mesohydric
tautomerism (*C.I.* 40, 1199^a), by osmosis through a
ruth membrane, urea has been found to have the struc-
ture: $\text{H}-\text{NH}-\text{C}(\text{NH}_2)=\text{O}$. In a mixt. with HCl, where the
unchelated N is coordinated to the H ion, the anomalous
ammonium salt $[\text{CO}(\text{NH}_2)_2]\text{HCl}$ has been found.
Jan Micka

CA

10

An osmometric study of chloroform and chloral hydrate.
Blahoslav Stehlik and Alexander Tkáč (Slovak Tech
Univ., Bratislava, Czech). *Chem. Zvesti* 3, 164-68
(1949).—It was found by the osmometric method with a
ruth membrane (1) that the H atom of CHCl_3 is polar and
able to form a H bridge with the O atoms of aces. and (2)
that in chloral hydrate the HO groups are closed into 2
chelated rings by the bridge $\text{O} \cdots \text{H} \cdots \text{Cl}$. J. M.

C.A.

An osmometric study of thiourea. Alexander Tkáč
(Slovak Tech. Univ., Bratislava, Czech.). *Chem. Zvesti.*
3, 352-8(1949).—By using a rush membrane, the meso-
hydic tautomerism of thiourea (I) has been confirmed.

I isomerizes as follows: $(H_2N)_2CS \rightleftharpoons H_2NC(:NH)CSH$.
The osmosis through the rush membrane in a soln. of
thiourea appears to be neg.; the vol. of outgoing thiourea is
greater than the vol. of H_2O coming in through osmosis.
Jan Micka a

CA

New osmotic phenomenon of some acids and sugars.
H. Mehlis and A. Thöni. *Collection Czechoslov. Chem. Commun.* 14, 10-19(1949)(in English). To explain the osmotic phenomena observed previously (C.A. 42, 436f) and with some acids and sugars, the *rush number*, r , is introduced, which represents the no. of moles of alc. combined with one mol. of another compd. through coordination with the H of the alc., and is represented by the equation $x = 2h_1(h_2 - 1)$, where h_1, h_2, \dots, h_i are the no. of H in the functional groups 1, 2, ..., i and h is the coordination no. of the H in 1, 2, ..., i . The Oehle osmometer was used; a cylindrical rush membrane was filled with mixts. contg. various ratios of 4% solns. of alcs. and of sugars or of acids, and the initial osmotic rate (ml./min.) was plotted against the compn., the min. in the curve being x . The initial osmotic rate was detd. by extrapolating to zero time the osmotic rate vs. time curve. x was detd. for glucose, maltose, fructose, formic, acetic, propionic, oxalic, maleic, succinic, lactic, tartaric, citric, boric, and phosphoric acids with MeOH, EtOH, PrOH, *sec*-PrOH, and *n*-, *sec*-, and *tert*-BuOH. H. S.

ASB-51A DETAILURGICAL LITERATURE CLASSIFICATION

GROUPS: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

COLLECTION: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

A

112

The molecular structure of glycine and D-alanine.
- Blaboslav Stehlik, Alexander Tkáč, and Nadá Likhová
(Slovak Tech. Univ., Bratislava, Czech.). *Chem.
Zvesti* 4, 53-9(1950).—The osmometric measurements,
especially the indication of an anomalous hydrochloride,
show that both glycine and D-alanine do not have the
form of the dipolar ion but the form of strong polar hydro-
gens of the amino group. These measurements agree with
spectroscopic ones but differ in their explanations. The
crystal structure is discussed.
Jan Mícha

~~Aleksander, Tkac~~, Aleksei
Czechoslovakia/Atomic and Molecular Physics - Physics of High Molecular Substances,
D-9

Abst Journal: Referat Zhur - Fizika, No 12, 1956, 34513

Author: Aleksander, Tkac; Vojtech, Dello

Institution: Physical Chemistry Faculty of SVSP, Bratislava, Czechoslovakia

Title: Study of Aging of Natural Latex with the Aid of Infrared Spectroscopy.
VI. Aging Under the Influence of Heat and Light; Discussion

Original Periodical: Chem. listy, 1955, 49, No 11, 1587-1597; Slovak

Abstract: The infrared-spectroscopy method was used to investigate the heat and light aging of latex, and the mechanism of aging is examined and certain relationships are established between oxidation, changes in structure, and the mechanical properties. The dependence of the velocity of oxidation on the concentration of the oxidation products during thermal and light aging indicates a chain mechanism of the reaction occurring in the rubber. The physical properties of aged latex depend, first of all, on the degree of destruction and a structurization not simply on the quantity of bound oxygen.

/ of /

- 1 -

✓ 4037 Study by infrared spectroscopy of the
reaction kinetics of the azoim of natural rubber
II Effect of light λ_{max} and λ_{min} λ_{max} λ_{min}

T. K. A. C. A.

4

3147. Infrared studies of the ageing of rubber.
VI. Ageing under the influence of heat and light.
Discussion. A. T. K. A. C. and Y. K. K. L. O. Chem. Listy,
1955, 49, 1537-57; Chem. Abs., 1956, 50, 1350. Cf.
this journal, 1956, abs. 2910. Both the heat- and
light-ageing (oxidation) rates depend on the con-
centration of oxidised groups according to a relation
which indicates a mechanism of branching chains
with negative chain interaction. Light ageing has
a superficial character and shows a more intensive
initiation. The heights of kinetic curves represent
a measure of the number of side chains formed
during both ageing and vulcanisation. The physical
properties depend predominantly on the degree of
disaggregation and reaggregation, but not directly
on the amount of structurally bound oxygen.

Heat
Struct

2

M. A. YOUTZ

Scopies

BM

T KAC, ALEXANDER

8

M.A. YOUTZ
2 copies

~~Reaction kinetics in the aging of natural rubber by infra-~~
~~red spectroscopy. V. Aging accelerated by heat. Vojtech~~
~~Krcal, Alexander Tkac, and Jolana Hrivikova (Slovenska~~
~~vyzsk. stredisko, Bratislava, Czech.). Chem. Listy 49,~~
~~1433-41 (1955); cf. C.A. 49, 6639h. Heat aging of rubber~~
~~between 60 and 160° as measured by the change of the no.~~
~~of C=O, O-H, and C=C groups has been investigated by~~
~~infrared spectroscopy. Contrary to light aging, heat aging~~
~~proceeds uniformly in the whole specimen thickness at~~
~~temps. above 90° but has a superficial character below this~~
~~temp. The time curves of C=O and O-H groups run~~
~~parallel, the only difference being that the no. of O-H~~
~~groups decreases after reaching the max. The heights of the~~
~~S-shaped kinetic curves depend on temp., show a min. in the~~
~~range between 75 and 95°, and above a certain temp. limit~~
~~remain const. (C=O above 120°, O-H above 100°). Ac-~~
~~tivation energies calcd. from the induction periods are 21,200~~
~~and 21,300 cal./mole, resp., for C=O and O-H groups;~~
~~these values agree well with the activation energy calcd.~~
~~from the temp. dependence of the max. rate of oxidation,~~
~~21,000 cal./mole. B. Erdos~~

(2)

TRAD, ...

"Infrared spectrography, its application in research and industry."
Chemicke Zvesti, Bratislava, Vol 3, No 2, Feb 1952, p. 111

SO: Eastern European Accessions List, Vol 3, No 10, Oct 1954, lib. of Congress

TKÁČ, A.

6

Study of reaction kinetics in aging of natural rubber by
infrared spectrophotograph. I. Experimental technique. V.
Kello and A. Tkáč (Slovenská Vysoká Škola Tech., Bratislava, Czech.) Chem. Zvesti 7, 129-10(1953) - A rapid
rotary method for prep. rubber films 0.01-0.1 mm.
(± 0.003) thick is described; these films are useful for meas-
uring the aging of rubber catalyzed by light, heat, and
mech. treatment. I M.

3

10-13-54 MEF

TKAC, A,

Chemical Abstracts
May 25, 1954
Rubber and Other Electromers

(5)
Study of the reaction kinetics in the aging of natural rubber by infrared spectroscopy. II. Effect of light. A. Tkac and V. Kello (Slovenská vysoká škola technická, Bratislava, Czech.). *Chem. Zvesti* 7, 157-58 (1953).—Qual. changes in the infrared spectrum of raw rubber by exposing specimens 0.02-0.03 mm. thick to the light of a Hg-quartz lamp, are described. After a longer period of exposure to light, there is a new band at 5.60μ , indicating aldehydic, ketonic (a band with the center $5.80-5.82 \mu$), and carboxyl groups. OH groups, present in untreated raw rubber at $2.98-2.99 \mu$, are increased by exposure to light, showing a new intensive band at 2.80μ . With masticated rubber, a band is formed at 2.90μ in the area of OH groups associated with H bridges, but the band belongs to unassociated OH groups. By exposure to light, the C=O, O-H, and C-O groups are increased, the CH₂, CH, and isoprene groups are decreased, and C=C and a band at 10μ are changed. Other factors affecting the aging of raw rubber by light are described. 61 references.
Jan Micka

11-12-54

TRAC, 11.

Study of reaction kinetics in the aging of natural rubber by infrared spectrography. II. Effect of light and anti-oxidants. V. Kelly and A. Dink (Slovenská vysoká škola techn., Bratislava, Czech.). Chem. Zvesti 7, 395-408 (1963); cf. C.A. 48, 6153d. Reaction charts showing the relation of C=O groups to the time of exposure to infrared light were studied. Bz₂O₂, phenyl-2-naphthylamine, o-nitrophenol, m-nitrophenol, p-nitrophenol, 1,2,4-trinitrophenol, o-aminophenol, benzoquinone, quinhydrone, hydroquinone, pyrogallol, Ni diethyldithiocarbamate, benzidine, urea, thiourea, and thyroxine were divided into inhibitors, retarders, and initiators of oxidation. A study of p-benzoquinone, quinhydrone, hydroquinone, and pyrogallol shows that the antioxidant effect is in close relation with the oxidation-reduction potential system: rubber-O-antioxidant. The natural antioxidants and natural oxidation-reduction system in raw rubber form a natural oxidation-reduction system which det. the qualities of natural raw rubber. The results of spectrographic measurements show that antioxidants participate directly on the reaction mechanism, and that the most important factor is the rapidity of formation of free radicals and their reaction with other radicals and neutral molcs.

Jan Micka


CZECH

Reaction kinetics in the aging of natural rubber by the infrared spectrograph. IV. Effect of the wavelength of radiation and the temperature on aging by light. A. Tkáč, V. Kellö, and J. Hrivňáková (Slovenská vysoká škola technická v Bratislave, Ústav kábelov a izolantov, Bratislava, Czech.). *Chem. Zvesti* 8, 3-13 (1954); cf. *C.A.* 48, 8674e, 8153b, 11101d.— The interrelation of the effect of the intensity of radiation and temp. on the aging of rubber was studied. The upper limit of the effectiveness of light is in an area 4380 Å. Increasing temp. accelerates oxidation considerably, but it is retarded by increasing intensity of irradiation. Calcul. analysis shows an exponential relation of the length of the induction period and the intensity of radiation at const. temp. and a linear relation of the height of the reaction curves and temp. with const. radiation. In the aging of natural rubber, there is, at the same time, an oxidative cleavage and branch chaining (vulcanization). Heat accelerates oxidation, and radiation accelerates vulcanization.

Jan Míčka

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755910019-3



APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755910019-3"

TKAC, A.


✓ A study by infrared spectrography of the reaction kinetics of the aging of natural rubber. II. Experiments on the effect of light. A. Tkáč and V. Kellö (Tech. High School, Bratislava, Czechoslovakia). *Rubber Chem. and Technol.* 28, 383-411 (1955).—See C.A. 48, 6153c. CH

2mcy

① MT

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755910019-3



APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755910019-3"

TKAC, A.: HRIKOVA, J.: KELLO, V.

"Infrared studies on the aging of rubber. V. aging accelerated by heat."

Chemické Listy. Praha, Czechoslovakia. Vol. 49, no. 10, Oct 1955

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 6, Jun 59, Unclas

TKAC. A.

Category : CZECHOSLOVAKIA/Optics - Spectroscopy

K-6

Abs Jour : Ref Zhur - Fizika, No 2, 1957, No 5121

Author : Kello, V., ~~Tkac, A.~~, Hrivikova, J.

Title : Study of Aging of Natural Rubber using Infrared Spectroscopy. V.
Thermal Acceleration of Aging

Orig Pub : Sb. chekhosl. khim, rabot, 1956, 21, No 2, 281-290

Abstract : No abstract

Card : 1/1

TKAC, Alexander

Koloidna chemia. (Colloidal Chemistry. a university textbook. illus., bibl., tables)
Bratislava, SVTL, 1957. 277. p. Vol. 206 of the series Docasne vysokoskolske
ucebnice (Temporary university textbooks).

Bibliograficky katalog, CSR, Slovenske Kihy, Vol. VIII. 1957. No. 9. p. 277.

CZECHOSLOVAKIA / High Molecular Chemistry.

I

Abs Jour: Ref Zhur-Khimiya, 1959, No 4, 14087.

Author : Tkac, A.; Kello, V.; Ulicky, L.

Inst : Not given.

Title : Investigation of Structure During Rapid Hardening
of Thiocol.

Orig Pub: Chem. zvesti, 1958, 12, 391-400.

Abstract: Hardening of thiocol connected with its crystallization is accelerated in the presence of products of decomposition of tetrasulphides formed during thermal decomposition or spontaneous acidification of S linked to the tetrasulfide groups. A comparison of the infrared spectra, especially of the prepared samples with high content of tetrasulfide noted for significant resistance to hardening, and of technical samples, showed a difference in compo-

Card 1/2

• CZECHOSLOVAKIA / High Molecular Chemistry. i

Abs Jour: Ref Zhur-Khimiya, 1959, No 4, 14087.

Abstract: sition, quantity of bound H_2O , quantity of products of decomposition and in the content of side-chain oxides. X-ray analysis shows the presence of cyclically bound S. -- Authors' resume.

Card 2/2

145

~~Kelly, A.~~ TKAC, A.

Distr: 4E2c(j)

15

5
2-n-0-8
1

The reasons for rapid hardening of thiokol. A. Tkáč, V. Kellö, and L. Ulický (Slovenská vysoká škola techn., Bratislava, Czech.). Chem. zvesti 12, 391-400 (1958) (German summary).—By studying the factors causing a rapid hardening of thiokol (I) of domestic origin (Czech.), it was detd. that the loss of plasticity and elasticity is caused by polymer crystn. The decompn. products of Na_2S_2 formed by thermal reaction or by spontaneous oxidation of S linked to Na_2S_2 accelerate the process of crystn. By prepg. I from Na_2S_2 soln. of definitive concn., a product resistant to rapid hardening is formed which by infrared absorption spectral analyses has shown to be different in the amt. of bound H_2O , decompn. products, and oxidation impurities from a rapid hardening tech. pure product. The structural analyses indicate the presence of cyclic bound S which is in agreement with the results of x-ray structural analyses. Ian Micks

TKAC, a

Distr: 4E20(1) // 4E3b

Correlations between the degree of cross-linking and the degradation of natural rubber. A. Tkáč and V. Kello (Tech. Hochschule, Bratislava, Czech.). J. Polymer Sci. 31, 291-300 (1958) (in German); cf. C.A. 50, 1350j, 17507i. — The rate of oxidn. of natural rubber is measured by observing the increase ΔA of the extinction coeff. for infrared absorption at 1720 cm^{-1} (carbonyl) and 3600 cm^{-1} (hydroxyl). The relative concn. η of oxidized groups is taken as $\Delta A / \Delta A_{\infty}$, where ΔA_{∞} is the value of the increase of the extinction coeff. at infinite time. The rate of oxidn. $d\eta/dt$ is found to obey an equation of the form $d\eta/dt = [k/b][1 - \exp(-b\eta)](1 - \eta)$, where the const. k is related to the rate of branching (leading preponderantly to oxidn.) and the const. b characterizes the rate of recombination of radicals for chain termination (leading preponderantly to cross-linking). The total amt. of cross-linking increases with increase of b/k . In all cases, as predicted by the equation,

the rate of oxidn. rises from zero to a max. and falls to zero again as the concn. of oxidized groups increases. Values of k and b detd. from exptl. observations are used to give information about the sep. phases of the reactions involved in the thermal and photochem. aging of rubber under various conditions. In the aging of extd. unvulcanized rubber at temps. from 80 to 160° , the rate of oxidn. and of termination both increase with temp. but the degree of cross-linking decreases. Light produces very effective cross-linking at room temp.; raising the temp. increases the oxidn. greatly at the expense of the termination, but vulcanization mixts. contg. components forming C—C bridges are much more effective. The effects of accelerators, of antioxidants, and of

Cu as an oxidn. catalyst are investigated. In rubber, in the presence of pure N (3 atm., 130°) and in the absence of vulcanizing ingredients, radicals of long life are formed and greatly influence the subsequent oxidative degradation. Increase of time at 130° greatly decreases the induction period of the subsequent oxidn. and increases the max. possible degree of oxidn. Lawrence A. Wall

5
99 (N3)
2

TKAC, A.

Distr: 4E3d

Physicochemical study of petroleum crude oil fractions. V. Reaction kinetics of oxidation. A. Tkáč and V. Kello (Stavenská vysoká škola tech., Bratislava, Czech.). *Chem. zvesti* 13, 408-514 (1959) (German summary); cf. C.A. 54, 2706c. —The reaction kinetics were studied of the oxidn. of the mixt. of hydrocarbons present in domestic crude oils and their lubricating oil distillates, chromatographic fractions of cable oils, and aromatic exts. from Saratov crude oil. Quant. spectrographic analysis of the changes in the hydrocarbon structure (which had been detd. by the n-d-mol. wt. method) shows a different character of the reaction kinetics for different compns. of the hydrocarbon mixt. The oxidn. of the alkane-naphthene fractions is affected by the rate of diffusion of O and of the oxidn. products, but this does not occur in the presence of aromatic components. The effect of diffusion was considerably reduced by exposing samples in thin layers. The oxidn. of the alkane-naphthene fractions can be expressed by the equation $\Delta E_t = a - k \cdot e^{at}$, where ΔE_t is the change in the extinction; and a and k are const., corresponding to the chain mechanism of oxidn. of the degenerated branching type. With increasing concn. of aromatic fractions the oxidn. proceeds at a const. rate without induction period; and oxidn. of the alkane-naphthene fractions is inhibited. Fractions contg. a major amt. of condensed and unsym. di- and trisubstituted aromatic hydrocarbons are as much as 20 times more effective as in-

hibitors than complex aromatic-naphthenic systems and more highly substituted monocyclic aromatic compds. Highly active inhibitors are present in aromatic exts. of Saratov crude oil. The activation energy of the oxidn. of pure alkane-naphthene fractions is 33 kcal./mol., and in the presence of the aromatic components (5% of aromatic C) decreases to 0 kcal./mol. Polar oxidn. products of aromatic hydrocarbons are insol. in the alkane-naphthene hydrocarbons and are pptd. whereas oxidn. of the alkane-naphthene type hydrocarbons leads to the formation of carboxyl groups. VI. The correlation of composition, stability, and dielectric properties of hydrocarbons from domestic crude oils. A. Tkáč, V. Kello, and V. Palo. *Ibid.* 515-23. —The oxidn. products of alkane-naphthene and aromatic chromatographic fractions vary in their effect on the dielec. properties of insulating oils. Trace amts. of oxidn. products of aromatic compds. of definite structure considerably increase the loss angle, but even higher concns. of alkanes derivs. affected the loss angle to a lesser degree. Mixts. contg. complex aromatic-naphthenic compds. and more highly substituted aromatic hydrocarbons with long aliphatic chains showed optimum oxidn. stability and elec. properties.

Jan Míček

TKAC, A.

Distr: 4E2c(j)/4E3b

Mean life of free radicals in solid natural rubber. ^A
 Tkáč and V. Kellő (Slovakian Coll. Technol., Bratislava,
 Czech.). *Trans. Faraday Soc.* 55, 1211-20 (1959); cf. C.A.
 49, 6639h; 50, 5317i, 18337d. — Free radicals were gener-
 ated in solid films of natural rubber 20-30 μ thick on NaCl
 plates when heated in an autoclave for ~ 1000 min. at 140°. ⁵
 The mean life of the free radical was detd. by a kinetic an- ¹⁻²
 alysis of the subsequent oxidn. reactions. Radicals of ^(NB)
 relatively long life formed only in the presence of natural ²
 antioxidants. In the absence of antioxidants, heat-treatment
 reduced the sensitivity towards oxidn., a result which was
 explained by cross-linking with rapid removal of the radi-
 cals. Victor R. Deltz

TKAC, A.

Physical and chemical studies on the oil fractions of crude petroleum. III.
Qualitative analysis of infrared spectroscopy. (To be contd.) p. 396.

CHEMICKE ZVESTI. (Journal on applied chemistry issued by the Slovak Academy of
Sciences and the Slovak Chemical Society. Monthly.)
Bratislava, Czechoslovakia, Vol. 13, No. 7/8, July/Aug., 1959.

Monthly List of East European Accessions, (EEAI), LC, Vol. 8, No. 12, Dec. 1957.
Uncl.

5
Physicochemical study of oil fractions from crude oil. I.
Method and experimental technique. V. Kello, V. Palo,
and A. Tkáč (Slovenská vysoká škola tech., Bratislava,
Czech.). *Chem. zvesti* 13, 265-71 (1939) (German summary).
—Lubricating oil distillates from Gbely (Slovakia) crude oil
were evaluated as raw materials for cable oil by means of
the n-d.-mol. wt. method, elementary analysis, viscosity and
viscosity index, dielec. losses and dielec. const., insulating
properties, and infrared absorption spectroscopy. All tests
were applied to chromatographic fractions of the distillates.
For kinetic studies by infrared spectroscopy, oxidation of a
thin hydrocarbon layer (1 min.) was used. Jan Miska

TKAC, A.

"Physical and chemical studies on the oil fractions of crude petroleum. I. Methods and experimental technique."

CHEMICKÉ ZVĚSTI, Praha, Czechoslovakia, Vol. 13, No. 5, May 1959.

Monthly List of East European Accessions (EAI), LC, Vol. 8, No. 9, September 1959.

Unclassified.

TKAC, Alexander, doc, dr., inz.

Stabilization of electric insulation oils by vapors of
colophonic acids (I). Theoretical part. Chem. zvesti 16 no.8:601--
611 Ag '62.

1. Vedecky ustav fyzikalnej chemie makromolekul a uhlovodikov pri Katedre
fyzikalnej chemie, Slovenska vysoka skola technicka, Chemicky
pavilon, Bratislava, Kollarovo namesti 2.

TKAC, Alexander, doc., inz.

Stabilization of electric insulation oils by vapors of colophonic acids (II). Technical realization. Chem. zvesti 16 no.8:612-624 Ag '62.

1. Vedocky ustav fyzikalnej chemie makromolekul a uhlovodikov pri Katedre fyzikalnej chemie, Slovenska vysoka skola technicka, Chemicky pavilon, Bratislava, Kollarovo namesti 2.

Z/043/63/000/002/001/003

AUTHORS: Tkač, A., Frait, Z., Ondris, M.

TITLE: Determination of the level of macroradicals by the method of electron spin resonance during thermal decomposition of polymers.

PERIODICAL: Chemické zvesti, ¹⁷no. 2, 1963, 81-94.

TEXT: The method of electron spin resonance was used in the study of the formation and decomposition of macroradicals of the polydiene type, (in natural rubber and polyisoprene) in solid samples within the temperature limits of - 150°C and + 200°C. Suitable apparatus for the desorption of gases from samples is described. High vacuum and an inert gas are used for the purpose. A description of the arrangement used by the authors for their measurements is given. It provides electrical heating and quick cooling of the samples by liquid nitrogen. The thermal generation of the free radicals takes place in a resonance chamber of the mode H_{012} maintained at a constant temperature. An inert gas flows through the chamber introduced through a stainless steel duct provided with a mica orifice. The apparatus allows cooling of the sample from the temperature at which the radicals are formed to the temperature of liquid nitrogen while continuous indication of the intensity of the changes in

Card 1 of 3

Z/043/63/000/002/001/003

Determination of the level

the resonance signals is maintained. Quick cooling avoids changes in the composition of the sample that would occur during slow cooling. The resonance signal which is formed by the absorption of the microwave component of 9200 Mc_g in a magnetic field of 2900 Oe maintains a "g" factor of 2.2 and is the result of the inner mechanism of the processes that take place during the degradation of polydienes at elevated temperatures. With an increase in temperature the original width of the spectrum narrows from approx. ΔH 300-200 Oe to 100-80 Oe; this fact is connected with the weakening of the interaction forces. The use of a stable free radical α , α' diphenyl- β -picrylhydrazyl for calibration purposes made possible determination of the shift of the center of symmetry by approx. 100-150 Oe towards the region of the free electron when the sample was heated to 200°C. This results in a change of the "g" factor from 2.23 to 2.14. This process is reversible. The signal does not change its position during cooling from room temperature to -150°C. The technique of quick cooling makes possible, when using samples contaminated by oxygen, to observe a distinct peroxydic doublet in the region of the free electron, even in a case where the level of these radicals at higher temperatures is in the area of the limits of the sensitivity of the apparatus (10^{12} free spins in 0.1 grams of sample).

ASSOCIATION: Vědecký ústav fyzikální chemie makromolekul a uhlíkovodíků při Katedře
Card 2 of 3

Z/043/63/000/002/001/003

Determination of the level....

fyzikalnej chémie Slovenskej vysokej školy technickej (Institute for Physical Chemistry of Macromolecules and Hydrocarbons at the Chair of Physical Chemistry of the Slovak Technical University), Bratislava.
Fyzikální ústav Československé Akademie věd (Institute of Physics of the Czechoslovak Academy of Sciences) Prague.
12 figures, 16 Western, 1 Czech, 1 Russian reference.

Card 3 of 3

TKAC, Alexander, doc., dr., inz.; KELLO, Vojtech, prof., dr.

Problem of polyisoprene stability from the viewpoint of radical processes. Chem zvesti 17 no.4:237-247 '63.

1. Vedecky ustav pri Katedre fyzikalnej chemie, Slovenska vysoka skola technicka, Bratislava, Kollarovo namesti 2.

CZECHOSLOVAKIA

TKAC, A; FRAIT, Z; ONDRIS, M

1. Department of Physical Chemistry, Slovak Technical University, Bratislava - (for ?);
2. Institute of Physics, Czechoslovak Academy of Sciences-(for ?)

Prague, Collection of Czechoslovak Chemical Communications,
No 1, January 1966, pp 252-268

"On the theory of macroradical termination. Part 3: Detection
of macroradical termination by electron paramagnetic resonance."

CZECHOSLOVAKIA

TKAC, A.; KELLO, V.; HRIVIKOVA, J.

Dept. of Physical Chemistry, Slovak Technical Univ., Bratislava (for all)

Prague, Collection of Czechoslovak Chemical Communications, No 2, Feb
1966, pp 551-565

"On the theory of macroradical termination. Part 4: Mechanism of
termination of macroradicals."

CZECHOSLOVAKIA

TKAC, A.

Department of Physical Chemistry, Slovak Institute
of Technology, Bratislava.

Prague, Collection of Czechoslovak Chemical Communi-
cations, No 11, November 1965, pp 3638-3647.

"On the theory of macroradical termination. Part 2.
Indication of cross-linking by the rates of dissolu-
tion and swelling."

CZECHOSLOVAKIA

TKAC, A.; HRIVIKOVA, J.

Department of Physical Chemistry, Slovak Institute
of Chemical Technology, Bratislava - (for both).

Prague, Collection of Czechoslovak Chemical Communi-
cations, No 11, November 1965, pp 3861-3874.

"On the theory of macroradical termination. Part 1:
Changes in the level of radicals detected spectro-
scopically".

TKAC, Kornel, inz.

Operation of electric locomotives in bad winter weather. Zel dop
tech 11 no.5:128-130 '63.

TKAC, Kornel, inz.

Experience with the operation of bogie engines with regard to
the wear of wheels and rails. Zelez dop tech 10 no.12:358-359
'62.

KRUPKO, I.L.; TMC 140, p.1.

Some conclusions from a study on bone homoplasty. Acta chir.
orthop. traum. cash. 31 no.5:392-397 5.164.

1. Katedra traumatologie a ortopedie (vedoucí prof. I.L. Krupko)
Vojensko lékařské akademie v Leningradu.

TKACH, A., nauchnyy rabotnik.

Is there a need for experiment stations on collective farms?
Nauka i pered. op. v sel'khoz. 8 no.12:56-57 D '58. (MIRA 12:1)

1. Cherkasskaya gosudarstvennaya sel'skokhozyaystvennaya opytnaya
stantsiya.

(Agricultural experiment stations)

YEVDOKIMOV, A.; TKACH, A.; STUPNITSKIY, V.; TKACHENKO, I.

[Economic prosperity of the Ukraine during forty years of the
Soviet regime] Rastsvet ekonomiki Ukrainskoi SSR za 40 let
sovetskoi vlasti. Khar'kov, M-vo vysshego obrazovaniia USSR,
1957. 30 p. (MIRA 11:6)
(Ukraine--Economic conditions)

TKACH, A. A.

Itogi novogo zheleznodorozhnogo stroitel'stva za 1934 god. [The results of the new railroad construction for 1934]. (Transportnoe stroitel'stvo, 1935, no.1, p. 7-10).

DLC: HE7.T7

SO: Soviet Transportation and Communication, A Bibliography, Library of Congress, Reference Department, Washington, 1952, Unclassified.

TKACH, A. G.

Tobacco Manufacture and Trade

Rhythmic operation of the Kara TSetkin Tobacco Factory. Tabak 13, No. 3, 1952

Monthly List of Russian Accessions, Library of Congress, September 1952. UNCLASSIFIED.

TKACH, A.

5

Stakhanovite Methods in the Operation of a Blast-Furnace Works. P. Gorlov, A. Tkach and F. Khil'kevich. (Stal, 1939, No. 1, pp. 1-9). (In Russian). A number of improvements in equipment and operational control effected at the Krivorog blast-furnace plant are described. Attention has been paid to the steady working of the furnace by adopting a planned rate of charging and uncharging sequence and a corresponding blast control. A more uniform moistening of the ore was achieved by spraying it with water in the truck discharging hoppers instead of in the skips. Other improvements included a modification of the coke screening plant and the provision of a recording instrument to register the working of the McKee distributor. A machine has been constructed for piercing the iron notch. In conclusion, the removal of scaffolding from blast-furnace shafts by blasting is described.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

FRACH, A.G.

Washing and drying unit. Mashinostroitel' no.3:13 Ag 104.
(MIRA 17:10)

TKACH, A.G., kand.ekonom.nauk; MOROZOV, V.V., red.; LIMANOVA, M.I.,
tekh.n.red.

[Socialist competition and the increase in labor productivity;
based on practice of the machinery industry enterprises of the
Kharkov Regional Economic Council] Sotsialisticheskoe sorevno-
vanie i rost proizvoditel'nosti truda; na opyte mashinostroitel'-
nykh predpriyatii Khar'kovskogo sovnarkhoza. Khar'kov, Khar'-
kovskoe obl.izd-vo, 1958. 108 p. (MIRA 13:1)

(Socialist competition)

(Kharkov Province--Machinery industry--Labor productivity)

TKACH, Aleksandr Grigor'yevich; KOPYLOV, V.I., inzh., retsenzent;
KOMAROV, V.S., inzh., spets. red.; FUKS, V.K., red.;
SOKOLOVA, I.A., tekhn. red.

[Concise manual for the tobacco worker] Kratkii spravochnik
tabachnika. Moskva, Pishchepromizdat, 1963. 112 p.
(MIRA 16:6)

(Tobacco industry)

TKACH, Aleksandr Grigor'yevich; FUKS, V.K., red.; SOKOLOVA, I.A.,
tekhn. red.

[Brief manual for workers engaged in the tobacco industry]
Kratkii spravochnik tabachnika. Moskva, Pishchepromizdat,
1963. 112 p. (MIRA 16:3)
(Tobacco industry)

TKACH, A.I., glavnyy sanitarnyy vrach.; ORIMOVICH, G.I., kand. med. nauk.

Importance of the sanitary and epidemiological council in the general
operation of a sanitary and epidemiological station. Gig. i san. 23
no.12:54-56 D '58. (MIRA 12:1)

1. Iz Moskovskoy rayonnoy sanitarno-epidemiologicheskoy stantsii Lenin-
grad.

(SANITATION

in Russia, sanit. epidemiol. stations (Rus))

(EPIDEMIOLOGY

same)

Translation from: Referativnyy zhurnal. Metallurgiya, 1959, Nr 3, p 250 (USSR) SOV/137-59-3-6697

AUTHORS: Fuks, M. Ya., Tkach, A. Ya.

TITLE: X-ray Diffraction Studies of Stresses of the First Kind in Nitrided Steel (Rentgenograficheskoye issledovaniye napryazheniy I roda v azotirovannoy stali)

PERIODICAL: Tr. Kharkovsk. politekhn. in-ta, 1958, Nr 14, pp 195-202

ABSTRACT: Specimens of steels 38, KhMYuA, and 20 were investigated. After nitriding, the residual stresses were determined by the method of oblique exposures; this involved X-ray diffraction patterns obtained in the back-reflection camera for three different positions of the surface of the specimens, one perpendicular to the primary bundle of rays and the other two at angles of 45° with respect to the beam. The lattice parameters of the α and γ phase were measured under Cr-K_α radiation. The employment of large reflection angles ($78-80^\circ$), photometric evaluation of the lines, etc., made it possible to determine stresses with an accuracy of $7-10 \text{ kg/mm}^2$. Results of an investigation are presented which demonstrate that compressive residual stresses having a magnitude of up to $40-50 \text{ kg/mm}^2$ are

Card 1/2

X-ray Diffraction Studies of Stresses of the First Kind in Nitrided Steel SOV/137-59.3-6697

present in the nitrided layer. It was established that the stresses in the phase
are somewhat smaller than those in the α phase.

V Sh

Card 2/2

DVORNIKOV, A.G. [Dvornikov, O.H.]; TKACH, B.I.; SHTANCHENKO, M.S.;
ANTONOV, V.M.

Minerals of a group of native elements in the loose sediments
of the Nagol'nyy Range. Dop. AN URSR no.9:1226-1229 '64.

(MIRA 17:11)

1. Institut mineral'nykh resursov AN UkrSSR. Predstavleno
akademikom AN UkrSSR N.P. Semenenko [Semenenko, M.F.].

DVORNIKOV, A.G.; TKACH, B.I.; SHTANCHENKO, M.S.; ANTONOV, V.M.

Some features of the distribution of cinnabar and native elements
in loose sediments of the Nagol'nyy Ridge. Dokl. AN SSSR 151
no.5:1189-1192 Ag '63. (MIRA 16:9)

1. Institut mineral'nykh resursov AN UkrSSR. Predstavleno
akademikom N.M.Strakhovym.
(Nagol'nyy Ridge--Minerals)

TKACH, B.I.

Classification of Carboniferous sandy-argillaceous rocks in the
Donets Basin based on the coefficients of softness. Geol.zhur.
22 no.6:77-79 '62. (MIRA 16:2)

1. Trest "Luganskologiya".
(Donets Basin--Rocks, Sedimentary--Classification)

TKACH, E.F.

Photocolorimetric determination of tin in brass. Uch.zap.Kish.un.
68:61-63 '63 [cover '64]. (MIRA 18:12)

TRACI, F.

Cotton Manufacture

Operational plan of work of the cotton mills. Khlopkovodstvo, no. 12, 1951.

9. Monthly List of Russian Accessions, Library of Congress, AUGUST 1952 ~~1953~~, Uncl.